

## CUSTOMER DATA

Company: \_\_\_\_\_ Date: \_\_\_\_\_  
 Contact: \_\_\_\_\_ Ph: \_\_\_\_\_  
 Title: \_\_\_\_\_ Ext: \_\_\_\_\_  
 Address: \_\_\_\_\_ Fax: \_\_\_\_\_  
 City, St, Zip: \_\_\_\_\_ E-m: \_\_\_\_\_

## PROCESS INFORMATION

**1. Process Material (Characteristics / Name):**

- Powder \_\_\_\_\_  
 Granular \_\_\_\_\_  
 Lumpy \_\_\_\_\_

**2. Bulk Density:** \_\_\_\_\_ (lbs / ft<sup>3</sup>)

**3. Process Pressure:**

Minimum \_\_\_\_\_ PSI Normal \_\_\_\_\_ PSI Maximum \_\_\_\_\_ PSI

**4. Process Temperature:**

Minimum \_\_\_\_\_ °F Normal \_\_\_\_\_ °F Maximum \_\_\_\_\_ °F

**5. Ambient Temperature Range:**

\_\_\_\_\_ °F to \_\_\_\_\_ °F

**6. Mounting:**

**Ext Length:**

- Side Mount High Level Qty \_\_\_\_\_  
 Side Mount Mid Level Qty \_\_\_\_\_  
 Side Mount Low Level Qty \_\_\_\_\_  
 Top Mount Qty \_\_\_\_\_

Other \_\_\_\_\_  
 \_\_\_\_\_

**7. Mounting Connection:**

Thread Size \_\_\_\_\_ Thread Type \_\_\_\_\_

Half or Full Coupling? \_\_\_\_\_

**8. Power Available:**

- 115 VAC  230 VAC  12 VDC  
 24 VDC  24 VAC  Other \_\_\_\_\_

**9. Vessel Material:**  Steel  Concrete  Fiberglass / Plastic \_\_\_\_\_

**10. Vessel Location:**  Indoor  Outdoor \_\_\_\_\_

**11. Installation Sketch (include):** (1) Tank Dimensions; (2) Fill / Drain Locations; (3) Open or Closed Roof; (4) Sensor Location; (5) Obstructions; and (6) Extension Length.

\*Include how far you want the rotary paddle to insert into the vessel.

**12. Number of Units Needed:** \_\_\_\_\_

**13. Other Comments:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_